



BP 300

Organic cleaner with a specific composition for the removal of metal oxides deposits, installation debris, from heat transfer surfaces. To be used inside systems with a maximum operation of 6 months.

1 L - COD. 300803001

10 L - COD. 300803002

CHEMICAL AND PHYSICAL FEATURES

FORMAT	1 litro/10 litri
pH	about 7
DENSITY (kg/dm ³ at 20°C)	1,21 g/cm ³
COLOUR	colourless
ODOUR/FRAGRANCE	alcoholic
DOSAGE	1%

PACKAGING FEATURES

	1 L	10 L
PIECES PER BOX	12 pcs	1 pc
PIECES PER EPAL PALLET	672 pcs	60 barrels
BOX DIMENSIONS	H: 22 L:40 P: 28	H: 33 L:19 P: 22
EPAL PALLET DIMENSIONS	80x120x170 cm	80x120x108 cm
PRODUCT WEIGHT	12 kg	10,45 kg
BOX WEIGHT	13 kg	10,45 kg
EPAL WEIGHT	700 kg	647 kg
CUSTOMS CODE*	2834.29.80	2834.29.80
BARCODE EAN 13	8054633848418	8054633849354

*Data updated in october 2017

ADVANTAGES

- Neutral pH suitable for all type of metals, included aluminum
- Protects all metal surfaces from corrosive phenomena
- Removal of production and installation debris, greases and oils of new systems
- It can be used with any type of water both hard and softened

BENEFITS

- Low environmental impact
- Reduction of energy consumption visible on your bill
- Extension of the system duration
- Reduction of maintenance costs

MAIN FEATURES

Organic cleaner with a specific composition for the removal of metal oxides deposits, installation debris, from heat transfer surfaces. It simplifies the formation of passivating film both of anodic and cathode type, thanks to its high dispersing abilities that, guaranteeing exempt from deposits metal surfaces, allows the formation of a protective layer.

- Dispersion of iron oxides and inhibits mud formation
- Optimize the corrosion inhibitor action, maintains clean all surfaces of heat exchange
- Reduction of maintenance costs
- Not foaming
- Not corrosive
- Suitable also with aluminum and its alloys

APPLICATION AND USE

HOW TO PROCEED:

1. Add BP 300 product directly inside the full system, through the vent valve of a radiator or inside the expansion vessel of the system with a concentration of 1% compared to the water volume of the system.
2. Start the system at a normal operating temperature. Depending on the debris quantity inside the system, the necessary time of the operation will change: from 2 to 24 hours.

SIMILAR PRODUCTS

- | | | |
|--|--|---|
| <p>1. BP 100
1l - COD. 300801001
10l - COD. 300801002
20l - COD. 300801003</p> <p>2. BP 200
1l - COD. 300802001
10l - COD. 300802002</p> <p>3. BP 400
1l - COD. 300802003
10l - COD. 300802004
20l - COD. 300802005</p> <p>4. BP 500
1l - COD. 300804001
10l - COD. 300804002
20l - COD. 300801003</p> | <p>5. BP 700A
1l - COD. 300805002
10l - COD. 300805003</p> <p>6. BP 800
1l - COD. 300802007
10l - COD. 300802008
20l - COD. 300802009</p> <p>7. BP 3in1
1l - COD. 300806001</p> <p>8. BP Decalsanit
1l - COD. 300807001
20l - COD. 300807002</p> | <p>9. BP Stop Leak
1l - COD. 300808001
10l - COD. 300808002</p> <p>10. BP Stop Foam
1l - COD. 300801005</p> |
|--|--|---|



TO BE USED WITH

1. Boss Transformer
PFH 55

COD. 301301012

2. Boss Transformer
Combi HF 75

COD. 301301005

3. Boss Transformer
Combi HF 110

COD. 301301006

4. Boss Transformer
PHF 85

COD. 301301013

5. Boss Pulisci Prova
Impianti Media

COD. 301301010

6. Boss Pulisci Grandi
Impianti

COD. 301301011

7. Boss Hyperflush 36

COD. 301301001



OFFER DESCRIPTION

Not corrosive cleaner for heating and cooling systems of new realization. It eliminates production and assembly debris, oils and varnish debris. To be used with Pulisci Impianti pumps.

COMPLIANCE

BP 300 is a product designed for the treatment of water primary circuit of a heating system. Water treatment of domestic heating systems is specified inside Regulation UNI-CTI 8065/89, decree 26/2015 and Regulations UNI-CTI 8364/84 and UNI-CTI 9317/89. These Regulations respond to European directive 2010/31/UE, concerning the energetic performance inside buildings.

STORAGE

Store the original sealed containers in a cool well-ventilated place, away from heat sources. Keep the container tightly closed if not used. For further information consult the related safety data sheet.

ORIGIN OF THE PRODUCT

 Made in Italy

TDS. 372.01

Date of issue: 21/06/2016

Date of revision: 30/11/2017

Boiler Performance by Manta Ecologica S.r.l.

Viale Archimede, 45 - 37059 - Zevio (VR)

www.boilerperformance.com

